


TRUCKS AND BUSES



# BUSINESS KA BADSHAH. TRUCK BHI. AAP BHI.

Eicher Pro 2049  
The 4.9 Tonne GVW Truck



Mileage ka Badshah

**EUTECH 6**





# EUTECH 6

Eicher is creating a new benchmark in the Indian commercial vehicle industry, with a revolutionary BSVI solution that combines global technology with innovative support services. This solution doesn't just make your vehicle BSVI compliant but ensures higher productivity of the truck and profitability of your business.



## Euro VI Expertise for 6 years

VECV has been manufacturing and supplying base engines to the Volvo Group since 2013. Over 1,00,000 Euro VI base engines supplied, operating in 41 countries. First to roll out BS VI CV range in India, incorporating expertise of Euro VI technology.



## Efficient EATS and engine technology

Best fluid economy: Lower fuel consumption + DEF consumption combined. Reliable EATS + engine technology tested for over 56,00,000 km. Duty cycle based SCR for high reliability & low maintenance.



## Enhanced UPTIME

Eicher Uptime Centre for 24x7 support by specialists. GPS enabled service vans just a phone call away. Remote diagnostics for quick repair of BS VI vehicles.



**FUEL EFFICIENT E366 ENGINE: 3 CYLINDER, 4 VALVE 2 LITRE CRS ENGINE**

# Last Mile Delivery Badshah.



The iconic Sub 5T mini truck is here to rule the Indian truck industry. Its best-in-class mileage and revolutionary driver comfort puts it miles ahead of competition & its next-generation technology will remain ahead of the curve for years to come. Its best-in-class space and modern features make Eicher Pro 2049 the right choice for last mile delivery of goods in city application, and you the Badshah of your business.





# Mileage ka Badshah.

- 1» New Eicher E366 high performance CRS Engine.
- 2» **M Booster+** helps to get best-in-class mileage with different payload selections with Power, Eco and Eco+ mode.
- 3» **Fuel Coaching** is a Driver's real time coach for improving fuel economy with dynamic Green Band Zone which illuminates with right Speed & gears combination.
- 4» **Cruise Control** provides a fatigue free driving experience by maintaining speed without pressing pedal and helps improve mileage.
- 5» Flat torque range over a wide RPM range prevents frequent gear shift



# Safety ka Badshah.

- 1» Dual-panel stronger and sturdier cabin.
- 2» All wheel disc brakes for reducing stopping distance.
- 3» Boundary protected DRL Headlamps.
- 4» Anti-roll bars in front and rear for higher vehicle stability.





# Reliability ka Badshah.

- 1» Lowest TCD of 10m in the category for easiest maneuverability.
- 2» Grease free semi-elliptical leaf suspension.
- 3» 1.8m next-generation tiltable cabin.
- 4» High strength advanced steel cargo body with increased corrugation depth and stronger tail gate.



1»



# Comfort ka Badshah.

- 1» 10 degree cooler cabin with lowest noise.
- 2» 4 tonne hydraulic jack.
- 3» 105° seat tilting, industry best seat travel of 180 mm, and adjustable seats.
- 4» Better utilities- Overhead Storage Space, Bottle Holder and Mobile Holder.

2»



3»



4»



1»



10m



2»



3»




4»





# Lifetime Support Solutions.

With our Lifetime Support Solutions, we ensure a seamless and hassle free experience from the time you consider buying an Eicher vehicle to the time you think of selling it. Our continuously improving and holistic services will ensure higher uptime and productivity for your BSVI vehicles.



Eicher has taken a step towards achieving Superior Uptime with a responsive attitude, that will set us apart and create a differentiated experience for our customer. With our new Uptime Center and Uptime Certified Workshops, we are now geared up with a proactive support system for diagnostic assistance with advanced diagnostic tools.



At Uptime Certified Workshops only  
\*T&C Apply



## SPECIFICATIONS

## Eicher Pro 2049

|                             |                                                                         |
|-----------------------------|-------------------------------------------------------------------------|
| GVW (kg)                    | 4995                                                                    |
| Wheelbase (mm)              | 2580                                                                    |
| Length (mm)                 | 3177                                                                    |
| Width (mm)                  | 1873                                                                    |
| Engine                      | E 366, 3 Cylinder, 4 Valve, BSVI Engine                                 |
| Max. power output           | 75 KW (100 hp) @ 3200 rpm                                               |
| Max. torque output          | 285 Nm @ 1250-2500 rpm                                                  |
| Emission                    | BS VI                                                                   |
| Transmission                | Eicher 3M5D (PTO Optional)                                              |
| Gear type                   | 5-Speed (5F + 1R)                                                       |
| Clutch diameter (mm)        | 280                                                                     |
| Gradeability(%)             | 34%                                                                     |
| Steering                    | Tilt and telescopic power steering                                      |
| Turning circle diameter (m) | 10                                                                      |
| Ground clearance (mm)       | 160                                                                     |
| Battery                     | 12V - 100Ah                                                             |
| Fuel tank capacity (litre)  | 60                                                                      |
| Brakes (service)            | All wheel disc brakes (Hydraulic)                                       |
| Suspension                  | Grease free, semi-elliptical leaves (with anti roll bars)               |
| Tyre size                   | 225/75 R16 or 7.00x16 - 14PR                                            |
| Cabin                       | 1.8m wide tiltable cabin with new interiors and lot of utility features |



## Next-Generation Features.



Steering mounted controls



18cm touchscreen infotainment system



CED coated rust resistant, sturdier & rugged BSK46 chassis

## Applications.



Fruits & Vegetables



Milk



Water bottles



LPG



Poultry



Market load



Beverages



Egg distribution



Parcel & Courier

**VE COMMERCIAL VEHICLES**  
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE  
eichertrucksandbuses.com, Eicher Care: 1800 102 3531

VE COMMERCIAL VEHICLES LTD.  
Registered Address – 3rd Floor, Select Citywalk,  
A-3 District Centre, Saket, New Delhi 110 107, India.  
CIN – U74900DL2008PLC175032

CORPORATE ADDRESS  
Eicher Trucks & Buses  
#96, Sector – 32, Gurgaon  
122001, Haryana, India.

Caution: \*Do not weld or drill on chassis frame. \*Accessories, colours and features shown in pictures or elsewhere may not constitute standard fitment. \*Weight mentioned is for standard configuration with standard body sizes and will change due to optional fitments. \*As a result of continuous research and innovation carried out, specifications are merely indicative and are subject to change without notice.