



www.doosanlift.com

7 Series Electric Forklifts 3,000lb to 4,000lb Capacity



Lifting Your Dreams

Doosan

A name to be proud of

The foundation on which Doosan has built its century of success is the trust in its people.

Doosan's management philosophy has always been "people first".

"Business is not meant to make profits, but to help people grow."

—Late Too Pyung Park, First Chairman

We believe this value drives our future growth and it continues to spur corporate development with global competitiveness.

Doosan – the oldest, but the fastest growing company

Doosan holds the record for having the longest business history in Korea since its inauguration in 1896. We are also the fastest growing company, with steady growth rates over the years and reaching our fastest pace in the past 10 years.

Doosan – the global Infrastructure Support Business (ISB)

Doosan has achieved an excess of 90% of its sales within the ISB sector through vigorous reorganization of its business portfolio since 1998. Prior to the transformation in the late 90s, 70% of our business was concentrated on consumer goods, but we have successfully transformed our business DNA into an ISB, that constructs and reinforces social infrastructure.

Doosan – surging as a global company

Doosan has become a global leader in the ISB by providing communities across five continents with the fundamental solutions, tools and structures they need to advance their societies.

With over 43,000 employees in 38 different countries, and 50% of its human resources being locally employed, Doosan is truly a global company.





Doosan Industrial Vehicle

Lifting Your Dreams

Since we first started out as Chosun Machinery in 1937, Doosan Industrial Vehicle has grown into Korea's largest machinery manufacturer, playing a leading role in the development of the industry in Korea.

Today, we are a global enterprise. We operate large-scale plants and sales subsidiaries in Korea and around the world, as well as maintain a massive operational network that spans over continents.

Committed To Innovation

We remain committed to the advancement of new technologies and the development of talented individuals, which drives us to respond effectively to the rapid changes taking place in the 21st century. Our mission is to strengthen our position in the international market and become a global leader in the industry.

Our Promise

Doosan Industrial Vehicle will be the partner you can count on, with our commitment to you a top priority.

Award-Winning Machines

Doosan currently holds a number of awards in the categories of export, design & safety, including five Design Excellence awards from the Forklift Truck Association.

Doosan's All-new 7 Series Electric Forklifts

Our 7 Series 3 wheel and 4 wheel electric counter balance forklift trucks continue the Doosan tradition of delivering simple, powerful performance, at the best possible value for our customers.

The operator compartment was designed specifically to keep the operator in control at all times, improving productivity while reducing stress and fatigue. The operator compartment offers improved visibility and ergonomic hydraulic controls.

Extended maintenance intervals and advanced technology componentry reduce the overall cost of maintenance. The latest AC control systems provide an unbeatable combination of power, performance and reliability. Each parameter is fully customizable to perfectly fit any individual's requirements, while providing maximum control and accuracy. The new and improved design of Doosan's 7 Series electric trucks exceeds customer demands for safety by offering excellent durability and stability.



7 SERIES ELECTRIC FORKLIFTS

3,000 lb to 4,000 lb Series





Powerful & Reliable Technology

Armed with the latest technology from Curtis Instruments, the new Doosan 7 series provide an unbeatable combination of power, performance and functionality. They are the operator's choice, being infinitely controllable and exceptionally reliable. The Curtis motor control system allows our trucks to be surprisingly versatile, maintaining high productivity in various work environments. The AC drive and hydraulic motors deliver smooth and seamless power with minimal energy consumption.

Safety and Convenience

The Electro-magnetic Auto Parking Brakes provide the operator maximum safety and convenience. Whenever the operator leaves the seat, the truck's parking brake is automatically applied with an unlimited ramp-hold function, ensuring the safety of the workplace. There is no danger of the machine rolling away, even if it is left unattended on a ramp or a slope.

7 SERIES ELECTRIC FORKLIFTS

3,000 lb to 4,000 lb Series


Curtis Controller

Reliable, Stable Operation
IP65 Rated



Enclosed Drive & Pump Motor

Simple, Powerful
IP43 Rated



Optimized Steer Angle

BT (3 Wheel Truck) : 90°
BX (4 Wheel Truck) : 86°



Rounded Counterweight Design



Easy and Instinctive Instrument Panel



Maximized Productivity in Warehouse Applications

Effective storage is the primary goal for many warehouse managers. Our 3 wheel models have steer axles that turn 90°, enabling the machines to maneuver with ease even in the tightest spaces. The 4 wheel models also have brand new steer axles, which have been carefully designed to minimize the turning radius and can now achieve an outstanding 86° steer angle. In addition, the new rounded design of the counter-weight enables the truck to move comfortably in and out of narrow spaces, reducing damage costs.

Outdoor Operations

The Doosan 7 Series electric forklifts are waterproof and are safe for outdoor use. The sealed controllers are rated IP65 and the motors are rated IP43, with all related wiring & connectors being silicon-sealed. This means they are fully protected from dust, debris and liquid, which allows them to be used outdoors with no problems.

Optimum Visibility & Safety

Visibility plays a vital role in forklift safety. The root cause of many forklift accidents can be traced back to visibility issues, and when they occur, the productivity of the workplace can take a significant hit.

Designed with precision, the overhead guard profile with angled roof bars provides a clear view upwards while ensuring ultimate strength for safety. An open rear view and an optional panoramic mirror offer additional safety to reduce accidents and unnecessary damage to trucks, products or racking.

Doosan's award-winning Rear Grab Handle makes reversing all the more comfortable and safe. The easy grip handle is positioned ergonomically for your hand to locate effortlessly, instead of around the overhead guard, which could lead to hand injuries. The integrated horn button allows the operators to keep one hand on the handle without having to reach for the steering wheel, so they can continue looking in the direction they are traveling.

The chains and the hydraulic hoses are neatly arranged so that they provide a clear, unobstructed front view through the mast. All auxiliary hoses used on attachments, such as the integrated side-shift, are aligned behind the mast chain and cylinders, which allow excellent front visibility.



Panoramic Mirror

Provides the operator a clear view of the whole back & rear working area, improving work safety & efficiency.

7 SERIES ELECTRIC FORKLIFTS

3,000 lb to 4,000 lb Series



Rear Grab Handle

Adds to safety, comfort and convenience when traveling in reverse.



Neatly arranged Hydraulic Hoses

Reduce clutter and provide better visibility.



LED Lights

Brighter and longer-lasting than traditional sealed beams or halogen lights.



DOOSAN

DOOSAN

WARNING
OPERATOR MUST WEAR SEATBELT AT ALL TIMES

WARNING
OPERATOR MUST WEAR SEATBELT AT ALL TIMES

MAX
WEIGHT
LIMIT



Ergonomic Interior Design

Operators perform best when their working conditions are ideal, and the Doosan 7 Series has been designed to make this a reality. The steering column, full suspension comfort seat, armrest and even the optional headrest are all fully adjustable to accommodate any operators' individual preferences. All of the control functions and displays are ideally situated for maximum comfort. In addition, operators can control the truck's performance settings during operation, simply by navigating the instrument panel. The new Doosan finger-tip control system and the mechanical hydraulic levers enable the easiest operation imaginable.

In addition, specifically designed for operator comfort, the Convenience Box was conceived by adopting combinations of new and old favorites to give the best operator experience. Some of the features include: a large cup holder, a USB port, 12V power outlet, and a clipboard holder.



Easy to Control

Hydraulic Levers: Simple, reliable and familiar. The direction switch is located on the hydraulic lift lever, enabling a quick change from forward to reverse motion safely. There is no need to take your hands off the steering wheel or the hydraulic levers.

The all-new Finger-tip Controls: Optimal ergonomics giving optimal performance. These fast, precise and instinctive controllers make operating the new Doosan 7 Series effortless and efficient.



Ease of Access Ensures Maximum Safety

Operators have the need to get on and off the truck regularly for different reasons. With this in mind, a number of new features were added to make this process easier and safer than ever before.

- Large step plate with an anti-slip pattern ensures firm footing even for large safety boots
- Easy grip entry bar makes entering and exiting the machine safer
- Large uncluttered floor plate with no trip hazards provide improved comfort and more leg room
- Angled floor plate reduces strain on the ankles, and large pedals ensure maximum safety and ease of operation





Maximum Safety & Stability in Operation

All Doosan equipment are designed to promote a safe and stable operation. Adding the Guardian Stability System (GSS) will dynamically protect the operator and the load to reduce the risk of accidents. The 7 series meets all of the current, as well as the emerging demands for operator safety and machine stability in every application.

Unlimited Ramp Hold

The Electro-magnetic Auto Parking Brake (EPB) prevents the forklift from rolling back if the truck is stopped on a slope. Operators can get off the truck easily without braking.

Quiet & Smooth Operation

The modulating hydraulic cushioned valve is included in secondary cylinder of FF and FFT mast to prevent staging noise which will result in quiet operation and longer mast life.

Seat Belt Indicator

When the key is switched on, a warning light in the instrumental panel will flash if the seat belt is not fastened.

Automatic Speed Control

The angle sensor controls the travel speed in sharp turns. The truck automatically reduces the travel speed for safety when turning corners.

Neutral Safety Switch

If the truck is in forward or reverse mode, the truck will have to be returned to neutral before operation.

Brake Oil Level Indicator

The low brake oil level indicator in the instrumental panel will flash when the oil level in the brake oil reservoir is lower than minimum level.

Battery Discharge Indicator

Lifting will be disabled when the battery is discharged to 20% during operation. This function is to protect the battery from damage and prevent sudden loss of power due to a dead battery.

OSS (Operator Sensing System)

This OSS prevents the truck from traveling or lifting when the operator leaves the seat.

Mast Lowering Inter-Lock (ISO3691)

If the operator keys off or gets off the seat, the hydraulic lift & tilt locking system will limit the motion of the truck.



Turtle Mode

Pressing the Turtle Mode button will reduce travel speed to a previously set parameter without affecting the lift speed.

Mast Tilt Lock (ISO3691)

Hydraulic locks prevent hydraulic drift when lowering and tilting.

Guardian Stability System (Optional)

- Decreased Travel Speed (50%) when mast is raised above primary stage
- Forward tilt reduced 2 degrees when mast is raised above primary stage
- Alarm when mast is raised above primary stage with mast tilted more than 2 degrees

Auto Tilt Leveling (Optional)

Returns the mast to vertical position easily by tilt angle sensing





B18T-7 Series
B15/18/20T-7, B18/20TL-7
36 or 48V 3 Wheel Truck



B18X-7 Series
B16/18/20X-7
48V, 4 Wheel truck

Major Specification		B15T-7	B18T-7	B18TL-7	B20T-7	B20TL-7	B16X-7	B18X-7	B20X-7	
Classification		3 Wheel Electric					4 Wheel Electric			
Capacity	lb	3,000	3,500	3,500	4,000	4,000	3,000	3,500	4,000	
Load Center	in	20								
Wheel Base	in	52.1	56.0	61.2	56.9	61.2	58.9	58.9	58.9	
Turning Radius	in	59.7	63.6	69.1	64.9	69.1	74.3	74.3	74.3	
Load Moment Center	in	14.8	14.8	14.8	15	15	14.8	14.8	15	
Travel speed	mph	10.6								
Lift speed (U/L)	ft/s	1.3 / 2.0								
Lowering speed (U/L)	ft/s	1.6 / 1.5								
Max. Gradeability (at 1.0 mph, Loaded)	%	26	25	25	24	24	26	25	24	
Max. Drawbar Pull (Loaded)	ft.lbf	9402.9								
Right Angle Stacking Aisle Width; 39.4 x 47.2	in	126.6	130.6	136.1	132.1	136.3	135.7	136.5	136.7	
Right Angle Stacking Aisle Width; 31.5 x 47.2	in	131.5	135.5	141.0	137.0	141.2	144.3	144.3	144.5	
Steer Angle	deg.	90	90	90	90	90	86	86	86	

Standard & Optional Features

3,000 lb to 4,000 lb Series

	Standard	Option
Safety & Stability, Guardian Stability System (GSS)		
OSS (Operator Sensing System)	<input type="radio"/>	
Neutral Safety Switch	<input type="radio"/>	
Unlimited Ramp Hold	<input type="radio"/>	
Battery Discharge Indicator	<input type="radio"/>	
Brake Oil & Seat Belt Indicator	<input type="radio"/>	
(ISO 3691) Mast Lowering Inter-Lock & Tilt Lock	<input type="radio"/>	
Emergency Stop Switch		<input type="radio"/>
Rear Grab Handle		<input type="radio"/>
Auto Tilt Leveling		<input type="radio"/>
Guardian Stability System		<input type="radio"/>
- Decreased Travel Speed (Up to 50%) When Mast is Raised Above Primary Stage		
- Forward Tilt Reduced 2 Degrees when Mast is Raised Above Primary Stage		
- Alarm when Mast is Raised Above Primary Stage with Mast Tilted more than 2 Degrees		
Productivity		
Full AC System Chassis	<input type="radio"/>	
Rounded Counterweight	<input type="radio"/>	
IP65 Rated Curtis Controller	<input type="radio"/>	
IP43 Rated PAL Enclosed Motors	<input type="radio"/>	
86° (BX)/ 90° (BT) Steer Angle	<input type="radio"/>	
Electro-Magnetic Automatic Parking Brake (EPB)	<input type="radio"/>	
Hydraulic Cushioned Valve in Secondary Cylinder (FFL & FFT)	<input type="radio"/>	
Accessory for DIN Type Battery Installation		<input type="radio"/>
Battery Roller System		<input type="radio"/>
Cooling Options : Fans & Fin Type Controller		<input type="radio"/>
Application Packages : Cooler & Freezer, Beverage, Fishery		<input type="radio"/>
Operator Comfort (Ergonomics)		
Easy Grip Entry Bar & Large Step Plate with Anti-Slip Pattern	<input type="radio"/>	
Large & Angled Floor Plate (Leg Room) with Rubber Cushion	<input type="radio"/>	
Rounded Battery Cover	<input type="radio"/>	
Easy to Read Instrument Panel	<input type="radio"/>	
Adjustable Tilt Steering Column & Easy Grip (Size Φ 280) Steering Wheel	<input type="radio"/>	
Hydraulic Control Lever with Direction Switch	<input type="radio"/>	
Large Cup Holder, USB Port & 12V Power Outlet, Clipboard Holder	<input type="radio"/>	
Finger-Tip Control		<input type="radio"/>
Power Grip Knob		<input type="radio"/>
Premium Seat: Grammer MSG65 Series		<input type="radio"/>
Panoramic Mirror		<input type="radio"/>
LED Lights		<input type="radio"/>
Special Height Overhead Guards		<input type="radio"/>
Mono Pedals		<input type="radio"/>
Modular Cabin		<input type="radio"/>
Durability & Serviceability		
Robust Frame & Overhead Guard	<input type="radio"/>	
Easy to Access Controller & Motors Room	<input type="radio"/>	
Wide Open Battery Cover	<input type="radio"/>	
Tool-Less Side Cover with Air Ventilation	<input type="radio"/>	
Oil-Cooled Disc Brakes (ODB)	<input type="radio"/>	
Durable Heat-Resisting(38"SQ)Cables	<input type="radio"/>	
Easy Diagnostic & Fine-Tune	<input type="radio"/>	



PSCBTBxV2



Doosan Industrial Vehicle America Corp.
 2475 Mill Center Parkway Suite 400
 Buford, GA 30518 US
 Tel: 678-745-2200 Fax: 678-745-2250
www.doosanlift.com

AUTHORIZED DEALER

Product and specifications are subject to improvement and change without notice.

<http://trucksfreemanuals.com>